UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,815,420 B2

: November 9, 2004

INVENTOR(S) : Kreider et al.

DATED

Page 1 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page,

Item [56], References Cited, insert the following:

| | U.S. PATENT DOCUMENTS | |
|-----------|-----------------------|-----------------|
| 5,179,078 | 01/1993 | Rollins, et al. |
| 5,237,051 | 08/1993 | Garbers, et al. |
| 5,382,658 | 01/1995 | Kronis, et al. |
| 5,866,373 | 02/1999 | Li, et al. |
| 5,880,263 | 03/1999 | Li, et al. |
| 6,028,169 | 02/2000 | Kreider, et al. |
| 6,075,124 | 06/2000 | Li, et al. |
| 6,100,389 | 08/2000 | Li, et al. |
| 6,379,926 | 04/2002 | Kreider, et al. |

FOREIGN PATENT DOCUMENTS

CA 2,152,141 12/1996 EP 0 488 900 06/1992 WO 92/20372 11/1992 WO 95/07985 03/1995 WO 95/31467 11/1995 WO 96/38559 12/1996 WO 96/40762 12/1996 WO 97/15594 05/1997 WO 98/44118 10/1998

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,815,420 B2

DATED

: November 9, 2004

INVENTOR(S): Kreider et al.

Page 2 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page, (cont.)

OTHER PUBLICATIONS

Beall, et al., "Conversion of Monocyte Chemoattractant Protein-1 into a Neutrophil Attractant by Substitution of Two Amino Acids," J. Biol. Chem. 267:3455-3459 (1992).

Berkhout, et al., "Cloning, in Vitro Expression, and Functional Characterization of a Novel Human CC Chemokine of the Monocyte Chemotactic Protein (MCP) Family (MCP-4) That Binds and Signals through the CC Chemokine Receptor 2B," J. Biol. Chem. 272:16404-16413 (Jun. 1997).

Bischoff, et al., "Monocyte Chemotactic Protein 1 Is a Potent Activator of Human Basophils," J. Exp. Med. 175:1271-1275 (1992).

Bottazzi, et al., "A Chemoattractant Expressed in Human Sarcoma Cells (Tumor-Derived, Chemotactic Factor, TDCF) is Identical to Monocyte Chemoattractant Protein-I/Monocyte Chemotactic and Activating Factor (MCP-I/MCAF)," Int. J. Cancer 45:795-797 (1990).

Bowie, et al., "Deciphering the Message in Protein Sequences: Tolerance to Amino Acid Substitutions," Science 247:1306-1310 (1990).

Brieland, et al., "Effect of Acute Inflammatory Lung Injury on the Expression of Monocyte Chemoattractant Protein-1 (MCP-1) in Rat Pulmonary Alveolar Macrophages," Am. J. Respir. Cell Mol. Biol. 7:134-139 (1992).

Brieland, et al., "Expression of Monocyte Chemoattractant Protein-1 (MCP-1) by Rat Alveolar Macrophages during Chronic Lung Injury," Am. J. Respir. Cell Mol. Biol. 9:300-305 (1993).

Brown, et al., "IL-1 Receptor Antagonist Inhibits Monocyte Chernotactic Peptide-1 Generation by Human Mesangial Cells," Kidney Int. 42:95-101 (1992).

Broxmeyer, et al., "Effects of CC, CXC, C, and CX3C Chemokines on Proliferation of Myeloid Progenitor Cells, and Insights into SDF-1-Induced Chemotaxis of Progenitors," *Ann. N.Y. Acad. Sci.* 872:142-163 (Apr. 1999).

Colditz, et al., "In Vivo Inflammatory Activity of Neutrophil-Activating Factor, a Novel Chemotactic Peptide Derived from Human Monocytes," Am. J. Pathol. 134:755-760 (1989).

Daniel, et al., "Mapping of Linear Antigenic Sites on the S Glycoprotein of a Neurotropic Murine Coronavirus with Synthetic Peptides: A Combination of Nine Prediction Alogorithms Fails to Identify Relevant Epitopes and Peptide Immunogenicity is Drastically Influenced by the Nature of the Protein Carrier," Virology 202:540-549 (1994).

Decock, et al., "Identification of the Monocyte Chemotactic Protein from Human Osteosarcoma Cells and Monocytes Detection of a Novel N-Terminally Processed Form," *Biochem. Biophys. Res. Commun. 167*:904-909 (1990).

Forssmann, et al., "Eotaxin-2, a Novel CC Chemokine that is Selective for the Chemokine Receptor CCR3, and Acts Like Eotaxin on Human Eosinophil and Basophil Leukocytes," J. Exp. Med. 185:2171-2176 (Jun. 1997).

Furntani, et al., "Cloning and Sequencing of the cDNA for Human Monocyte Chemotactic and Activating Factor (MCAF)," Biochem. Biophys. Res. Commun. 159:249-255 (1989).

Garcia-Zepeda, et al., "Human Monocyte Chemoattractant Protein (MCP)-4 is a Novel CC Chemokine with Activities on Monocytes, Eosinophils, and Basophils Induced in Allergic and Nonaltergic Inflammation that Signals Through the CC Chemokine Receptors (CCR)-2 and -3," J. Immunol. 157:5613-5626 (1996).

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,815,420 B2

: November 9, 2004

INVENTOR(S) : Kreider et al.

DATED

Page 3 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page, (cont.)

George, et al., "Current Methods in Sequence Comparison and Analysis," in Macromolecular Sequencing and Synthesis, Selected Methods and Applications, Schlesinger, D.H., ed., Alan R. Liss, Inc., New York, New York, pp. 127-149 (1988).

Gong, et al., "Antagonists of Monocyte Chemoattractant Protein 1 Identified by Modification of Functionally Critical NH2-terminal Residues," J. Exp. Med. 181:631-640 (1995).

Gong, "RANTES and MCP-3 Antagonists Bind Multiple Chemokine Receptors," J. Biol. Chem. 271:10521-10527 (May 1996).

Gronenborn, et al., "Modeling the Three-Dimensional Structure of the Monocyte Chemo-attractant and Activating Protein MCAF/MCP-1 on the Basis of the Solution Structure of Interleukin-8," *Protein Eng.* 4:263-269 (1991).

Jose, et al., "Eotaxin: A Potent Eosinophil Chemoattractant Cytokine Detected in a Guinea Pig Model of Allergic Airways Inflammation," J. Exp. Med. 179:881-887 (1994).

Kao, et al., "Endothelial Monocyte-activating Polypeptide II. A Novel Tumor-Derived Polypeptide That Activates Host-Response Mechanisms," J. Biol. Chem. 267:20239-20247 (1992).

Kawahara, et al., "Platelet-derived Growth Factor-inducible Gene JE is a Member of a Family of Small Inducible Genes Related to Platelet Factor 4," J. Biol. Chem. 264:679-682 (1989).

Koch, et al., "Enhanced Production of Monocyte Chemoattractant Protein-1 in Rheumatoid Arthritis," J. Clin. Invest. 90:772-779 (1992).

Kuna, et al., "Monocyte Chemotactic and Activating Factor is a Potent Histamine-releasing Factor for Human Basophils," J. Exp. Med. 175:489-493 (1992).

Marston, F.A.O., "The Purification of Eukaryotic Polypeptides Synthesized in Escherichia coli," Biochem J. 240:1-12 (1986).

Matsushima, et al., "Molecular Cloning of a Human Monocyte-Derived Neutrophil Chemotactic Factor (MDNCF) and the Induction of MDNCF mRNA by Interleukin 1 and Tumor Necrosis Factor," J. Exp. Med. 167:1883-1893 (1988).

Matsushima, et al., "Purification and Characterization of a Novel Monocyte Chemotactic and Activating Factor Produced by a Human Myelomonocytic Cell Line," J. Exp. Med. 169:1485-1490 (1989).

Mehrabian, et al., "Localization of Monocyte Chemotactic Protein-I Gene (SCYA2) to Human Chromosome 17q11.2-q21.1," Genomics 9:200-203 (1991).

Minty, et al., "Molecular Cloning of the MCP-3 Chemokine Gene and Regulation of its Expression," Eur. Cytokine Netw. 4:99-110 (1993).

Morgan, et al., "Cloning of the cDNA for the Serine Protease Homolog CAP37/Azurocidin, a Microbicidal and Chemotactic Protein from Human Granulocytes," J. Immunol. 147:3210-3214 (1991).

Nelken, et al., "Monocyte Chemoattractant Protein-1 in Human Atheromatous Plaques," J. Clin. Invest. 88:1121-1127 (1991).

Ngo, et al., "Computational Complexity, Protein Structure Prediction, and the Levinthal Paradox," In: *The Protein Folding Problem and Tertiary Structure Prediction*, Merz, Jr., K. and Le Grand, S., eds., Birkhauser, Boston, Massachusetts, pp. 491-495 (1994).

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO.

: 6,815,420 B2

DATED

: November 9, 2004

INVENTOR(S) : Kreider et al.

Page 4 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page, (cont.)

Opdenakker, et al., "Human Monocyte Chemotactic Protein-3 (MCP-3): Molecular Cloning of the cDNA and Comparison With Other Chemokines," Biochem. Biophys. Res. Comm. 191:535-542 (1993).

Patel, et al., "Molecular and Functional Characterization of Two Novel Human C-C Chemokines as Inhibitors of Two Distinct Classes of Mycloid Progenitors," J. Exp. Med. 185:1163-1172 (Apr. 1997).

Pereira, et al., "CAP37, a Human Neutrophil-Derived Chemotactic Factor with Monocyte Specific Activity," J. Clin. Invest. 85:1468-1476 (1990).

Ransohoff, et al., "Astrocyte Expression of mRNA Encoding Cytokines IP-10 and JE/MCP-1 in Experimental Autoimmune Encephalomyelitis," FASEB J. 7:592-600 (1993).

Robinson, et al., "Complete Amino Acid Sequence of a Human Monocyte Chemoattractant, a Putative Mediator of Cellular Immune Reactions," Proc. Natl. Acad. Sci. USA 86:1850-1854 (1989).

Rolfe, et al., "Expression and Regulation of Human Pulmonary Fibroblast-Derived Monocyte Chemotactic Peptide-1," Am. J. Physiology 263:L536-L545 (1992).

Rollins, et al., "Cloning and Expression of JE, a Gene Inducible by Platelet-Derived Growth Factor and Whose Product Has Cytokine-Like Properties," Proc. Natl. Acad. Sci. USA 85:3738-3742 (1988).

Rollins, et al., "The Human Homolog of the JE Gene Encodes a Monocyte Secretory Protein," Mol. Cell. Biol. 9:4687-4695 (1989).

Rudinger, J., "Characteristics of the Amino Acids as Components of a Peptide Hormone Sequence," In: Peptide Hormones, Parsons, J.A., ed., University Park Press, Baltimore, Maryland, pp. 1-7 (1976).

Russell, et al., "Early and Persistent Induction of Monocyte Chemoattractant Protein 1 in Rat Cardiac Allografts," Proc. Natl. Acad. Sci. USA 90:6086-6090 (1993).

Sacerdote, et al., "Cholecystokinin and the Immune System: Receptor-Mediated Chemotaxis of Human and Rat Monocytes," Peptides 9:29-34 (1988).

Salcedo, et al., "Structure-Function Analysis of Eotaxin-2/CK\$-6/MPIF-2," FASEB J. 13:A317, Abstract No. 252.17, Federation of American Societies for Experimental Biology (Mar. 1999).

Schall, T.J., "Biology of the RANTES/SIS Cytokine Family," Cytokines 3:165-183 (1991).

Schulz, et al., "Empirical Similarities Between Amino Acid Residues," In: Principles of Protein Structure, Springer-Verlag, New York, New York, pp. 14-16 (1979).

Shyy, et al., "Structure of Human Monocyte Chemotactic Protein Gene and its Regulation by TPA," Biochem. Biophys. Res. Commun. 169:346-351 (1990).

Stricter, et al., "Disparate Gene Expression of Chemotactic Cytokines by Human Mononuclear Phagocytes," Biochem. Biophys. Res. Commun. 166:886-891 (1990).

Uguccioni, et al., "Monocyte Chemotactic Protein 4 (MCP-4), a Novel Structural and Functional Analogue of MCP-3 and Eotaxin," J. Exp. Med. 183:2379-2384 (1996).

Van Damme, et al., "Production and Identification of Natural Monocyte Chemotactic Protein From Virally Infected Murine Fibroblasts: Relationship With the Product of the Mouse Competence (JE) Gene," Eur. J. Biochem. 199:223-229 (1991).

UNITED STATES PATENT AND TRADEMARK OFFICE **CERTIFICATE OF CORRECTION**

PATENT NO.

: 6,815,420 B2

DATED

: November 9, 2004

INVENTOR(S) : Kreider et al.

Page 5 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page, (cont.)

Van Damme, et al., "Structural and Functional Identification of Two Human, Tumor-Derived Monocyte Chemotactic Proteins (MCP-2 and MCP-3) Belonging to the Chemokine Family," J. Exp. Med. 176:59-65

Villiger, et al., "Monocyte Chemoattractant Protein-1 (MCP-1) Expression in Human Articular Cartilage," J. Clin. Invest. 90:488-496 (1992).

Wells, J.A., "Additivity of Mutational Effects in Proteins," Biochem. 29:8509-8517 (1990).

Wempe, et al., "Gene Expression and cDNA Cloning Identified a Major Basic Protein Constituent of Bovine Seminal Plasma as Bovine Monocyte-Chemoattractant Protein-1 (MCP-1)," DNA and Cell Biol. 10:671-679 (1991).

Yoshimura, et al., "Human Monocyte Chemoattractant Protein-1 (MCP-1): Full-length cDNA Cloning, Expression in Mitogen-stimulated Blood Mononuclear Leukocytes, and Sequence Similarity to Mouse Competence Gene JE," FEBS Letters 244:487-493 (1989).

Yoshimura, et al., "Molecular Cloning of Rat Monocyte Chemoattractant Protein-1 (MCP-1) and its Expression in Rat Spleen Cells and Tumor Cell Lines," Biochem. Biophys. Res. Commun. 174:504-509 (1991).

Yoshimura and Yuhki, "Neutrophil Attractant/Activation Protein-1 and Monocyte Chemoattractant Protein-1 in Rabbit," J. Immunol. 146:3483-3488 (1991).

WPI Accession No. 92-185765, English Language Abstract of EP 0 488 900.

Supplementary European Search Report for Application No. EP 94 91 7388, March 26, 1997.

International Search Report for Application No. PCT/US98/06401, July 31, 1998.-

Column 36,

Line 24. delete the header "TABLE 1" and insert -- TABLE 2 --;

Columns 37-38,

Line 1, delete the header "TABLE 2" and insert -- TABLE 3 --;

Column 37,

Line 33, delete the header "TABLE 3" and insert -- TABLE 4 --;

Page 6 of 6

UNITED STATES PATENT AND TRADEMARK OFFICE **CERTIFICATE OF CORRECTION**

PATENT NO.

: 6,815,420 B2

DATED

: November 9, 2004

INVENTOR(S) : Kreider et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 141,

Lines 56-57, delete "SEQ ID NOs:50,51, 52, 94, 96, 97 and 99." and insert -- SEQ ID" NOs:50, 51, 53, 94, 96, 97 and 99. --.

Signed and Sealed this

Tenth Day of May, 2005

Director of the United States Patent and Trademark Office

JON W. DUDAS